

FINAL PLAT CHECKLIST

	PROJECT NAME		
	PERMIT/PROJECT #REVIEW DATEREVIEWED BY		
Please	e address all items marked with an "X" below, as well as any additional comments on this checklist or on the redlined plan e return this checklist and the redlined plans when resubmitting in order to speed up the revised plan review. AL INFORMATION:		
1	Show proposed width of right of way offeet from centerline along. for the entire frontage as shown on the approved		
	preliminary construction plans.		
2	Note "House location plan (HLP) will be required for each lot.		
	Note "Irrigation systems are prohibited on all existing and proposed City right of way and considered to a violation of the City Ordinance prohibiting unpermitted right of way encroachments."		
4	Note "City of Dawsonville shall not be responsible for maintenance of any pipes, ditches, detention ponds or other structures within any drainage easement beyond the city right-of-way."		
5	Note "No structures, fences or other obstructions may be located within a access, storm drainage, water line or sewer line easement without prior approval by the City of Dawsonville."		
6	Provide a note stating the disposition of the property with regard to the flood plain. State the source (FIRM Panel Number and date) and show flood elevations and boundaries if applicable.		
7	Note "A 10-foot private drainage easement shall exist on all side and rear yards centered on the property line to allow for proper drainage of rear and side yard to street and or inlets".		
8	Note "residential driveways shall not exceed maximum slope of 10 percent per article VI sec 109.54".		
9	Show project benchmark with its elevation.		
10	Show location of traffic signs and label type of sign.		
11	Provide verification from the Power Company of payment for underground power.		
12	Provide lighting plan with proposed locations, at minimum each intersection and 150 ft along street.		
13	Provide verification of payment for street signs.		
14	Private streets label access and utility easement width.		
15	Show location of proposed sidewalks and handicap ramps.		
16	Label min heated square feet floor area of houses.		
17	Attach zoning conditions.		
18 pg. 1	Show location of street entrance monument, if applicable. Monument must setback 10' off r/w and block out $Rev.\ 02.15.2022$		




easement if not part of common area. 19. Provide As-Built sight distance certification. 20.____ Label street addresses. 21. Signature required over surveyor's seal. 22. All construction to be completed as required on the approved preliminary construction plans. Punchlist will be provided to the Developer. Developer must schedule a final punch list inspection and obtain a release from the inspector prior to approval of the final plat. (P&Z Inspector) (Utilities Inspector) DRAINAGE: 23. Show location, size, profile, hydrologic grade line and type of pipe for all storm drainage. Include cumulative drainage area at all discharge's pipes. 24._____ Provide note on the cover sheet with the required water quality treatment devices. 25._____ A signed/sealed statement by a Professional Engineer certifying that the as-built storm drainage system will function as designed/engineered in the approved construction drawings. 26. Show minimum 20' drainage easement on all storm drain pipes, drainage swales, watercourses, water quality devices and detention ponds as shown on the approved construction plans. Show a 20' access easement from public right-of-way to all detention ponds. Show access easement around the ponds and water quality devices. 28._____ 100-year upstream headwater elevation at pipe inlets and drop inlets to be shown by labeling elevation and outlining contours at that elevation. This contour shall be labeled as a drainage easement if it extends outside of the 20' drainage easement. 29. Show 100-year flood boundaries with elevation(s). 30. Provide an as-built topographic map of the detention area, and a stage/storage table showing the volume of the pond. Include 100-year ponding elevation, limits and volume on plan. Include minimum five (5) foot high fence with minimum twelve (12) foot wide gate around pond, as applicable. 31. Provide an as-built detail of the outlet control structure. Detail shall match that in approved as-built hydro report. 32. A signed/sealed statement by a Professional Engineer that the as-built detention/water quality pond provides the storage volumes and outflow rates as required by the approved construction plans and hydrology study. □ The engineer must submit a revised hydrology study using the as-built conditions in order to document this statement.

Approval required prior to scheduling final platsign-off. 33._____ Execute attached stormwater management/BMP maintenance agreement.

COVER SHEET REQUIREMENTS:

pg. 2 Rev. 02.15.2022

34. Provide a signed copy of a stormwater operation, maintenance and long-range plan.



pg. 3 Rev. 02.15.2022

THE LAW SOLVE
City of Dawsonville 53. Delineate and label pavement widths.
54 Postal kiosk must not be located within the R.O.W.
PROVIDE THE FOLLOWING FOR EACH PHASE AND PROJECT TOTAL:
55 SEC 113-37(21) The final plat shall contain the location of any areas to be reserved, donated, or dedicated to public use with notes stating their purpose and limitations. Location of any areas to be reserved by private deed covenant for common use of all property owners or dedicated to a homeowner's association.
56Sec 113-37(22) The final plat shall contain a statement of private covenants, if any, and if they are brief enough to be put directly on the final plat; otherwise, if covenants are separately recorded, a statement as follows: "This plat is subject to the covenants set forth in the separate documents) attached hereto dated, which hereby become a part of this plat, and which were recorded on"
57 Sec 113-37(26) The final plat shall contain a tabulation of the areas of street rights-of-way, stormwater easements, sanitary sewer easements, potable water easements, and other public facilities to be dedicated to the city. Provide area tabulation for utility easement if private roads.
OPEN SPACES AND COMMON AREAS:
58 Delineate and label "open space" & "common areas"; specify acreage and square footage.
59 Common area tracts must be accessible.
WATER DISTRIBUTION SYSTEM
60 Sign and sealed statement "I certify the water distribution system and/or sanitary sewer system depicted by this As-Built Drawing was constructed in accordance with the plans approved by the City of Dawsonville. The information submitted on this As-Built drawing is to the best of my knowledge and belief, true, accurate and complete".
61 Water lines shown on the final plat must reflect as built conditions.
62 Provide 3 sets of signed/sealed as-builts water main.
63 Pipe size and material must be noted on the Final plat.
64 Provide actual fire flow verification at each fire hydrant. Residential min 1,000 GPM.
SANITARY SEWER
65 Sanitary sewer easements must be shown on the final plat and As-built's.
66 Sanitary sewer lines shown on the final plat must reflect as built conditions.
67 Provide 3 sets of signed/sealed as-builts sanitary sewer pipe profiles.

pg. 4 Rev. 02.15.2022



		nd whose name is subscribed thereto, and in person or
Georgia	a Land Surveyor:	Date:
•	ngle point, and was adjusted usi	ng rule. This plat has been calculated for closure and is found
		ally exist, and their location, size, type and material are sbased has a closure precision of one foot in feet and an
shown thereon, and w	vas prepared from an actual surv	d correct as to the property lines and all improvements vey of the property made by me or under my supervision;
PROVIDE THE FOLLOWI	NG CERTIFICATIONS STATEMEN	<u>TS</u>
	per/contractor is responsible for aintenance bond is released.	maintenance and utility locating of all water and sewer
74 Note the sa	nitary sewer source is City of Da	wsonville Water and Sewer
73 Note the wa	ater source is City of Dawsonville	e Water and Sewer
72 Upon record	ding of this plat, all sanitary sew	er easements are dedicated to City of Dawsonville Water &
WATER AND SEWER NO	TES REQUIRED ON COVER SHEE	T OF FINAL PLAT
71 Provide orig	ginal easement and full title opin	ion for offsite water and sewer lines.
	dedicated to City of Dawsonville	sanitary sewer system, the pumping station site, including by deed and appropriate documents must also accompany
the form and signed be corporation, the grant authority to grant the	by the president of the corporation tor must provide documentation easement to City of Dawsonville rtnerships, two signatures are re	cion, the corporate seal must be affixed where indicated on on. In the event the Grantor is not the president of the on to prove that the individual signing the agreement has the e or an additional signature from another corporate officer. In equired from the partners attesting to the authority to convey
recorded for all water form are available upo executed agreement i	and sanitary sewer constructed on request. Legal descriptions of n a form suitable for recording.	to City of Dawsonville. An exclusive easement must be within private roads or easements. Copies of the agreement the easement(s) and exhibits must be attached to the
C . I . I		auted and recorded for all sanitary sewer lines located outside

storm drains and appurtenances within street rights-of-way, and other public facilities and appurtenances thereon

pg. 5 Rev. 02.15.2022



shown for the purposes therein expressed.

Owner:	Date:
	reviewed by the Dawson County Health Department and with the ent. Each lot is to be reviewed by the Health Department and the issuance of a building permit.
Health Department Official:	Date:
compliance with the Zoning Ordinance, Devel	by the Planning Commission and the City and found to be in opment Regulations and Subdivision Regulations. The Mayor and City to the provisions and requirements of the City's regulations.
Mayor:	Date:
City Engineer:	Date:
SUPPLEMENTAL INFORMATION	
 such delay in completion of required improve bond shall be: Conditioned upon the faithful performation specified time; Payable to, and for the indemnification In an amount equal to the cost of constanditional ten percent of said costs, as additional ten percent of said costs, as a with surety by a company entered and Approved as to form and content by the A maintenance bond, cash deposit, as approved by the city attorney to ensure made of one year, payable to the city and in the amount construction cost. If, upon being notified of fadeficiency or commence work within ten days 	ruction of the required improvements not yet completed, plus an calculated by the city engineer. licensed to do business in the state; and e city attorney. escrow account or other guarantee/instrument of financial security aintenance of required improvements in the subdivision for a period ount of ten percent of the city engineer's estimate of actual illure of required improvements, the subdivider does not correct the sof notice, it shall be deemed to be a failure on the bond, and the city
instrument of financial security shall be liable city engineer.	pairs, either by public work or by private contract, and the bond or for the full amount of the cost of said repairs, as determined by the infrastructure plan review fee \$40.00 per lot with less than 50 lots
and \$1,000.00 minimum or \$25.00 per lot wit	
	ater lines shall be \$6.78 per 1,000 gallons. Page 128 Sec 9.03 specifications.
84 Development fee \$10.00 per lot and \$	100.00 minimum.

pg. 6 Rev. 02.15.2022